



COMMERCIAL POOL PRODUCT LIST

FROM THE WORLD'S
LEADING FLOATING
WATER PARK BRAND

Valid from October 7, 2024



Choosing the right size & style pool combination

Unlimited individual layout alternatives possible!

We've developed a few categories that help you easily select the best combination for your pool:

AquaDuel



Low budget

FastTrack 3



Individual combination



Shallow water

Animation

SpeedTrack



BalanceTrack



WiggleTrack

AquaTrack



Kids aged 4+

High capacity



Individual combination



KidsCourse

AquaTrack

No



item no.

min. water
depth

dimensions
l x w x h

user
capacity

31051

5'-6"
1,65 m

55'-9" x 6'-7" x
4'-11"
17 x 2 x 1,5 m

20





AquaDuel

No



item no.

min. water
depth

dimensions
l x w x h


user
capacity


31050

5'-6"
1,65 m

36'-1" x 6'-7" x
4'-11"
11 x 2 x 1,5 m

10





Upgrade your FastTrack with additional WiggleDiscs for a bigger challenge and more fun!

FastTrack 3

No

item no.



min. water depth



dimensions
l x w x h



user capacity

31044

3'-11"
1,2m

50'-10" x 8'-2" x
12"
15,5 x 2,5 x 0,3m

13



FitnessTrack*

No



item no.

min. water
depth

dimensions
l x w x h

user
capacity

31057

5'-6"
1,65 m

55'-9" x 7'-7" x
4'-11"
17 x 2,3 x 1,5 m

14



WiggleTrack

No



item no.

min. water
depth

dimensions
l x w x h

user
capacity

31039

3'-11"
1,2 m

41' x 6'-7" x
12"
12,5 x 2 x 0,3 m

14



Upgrade
your WiggleTrack
with additional WiggleDiscs
for a bigger challenge
and more fun!



RodeoSplash

No



item no.

min. water
depth

dimensions
l x w x h

user
capacity

30103

5'-7"
1,7 m

13'-1" x 14'-9" x
5'-3"
4 x 4,5 x 1,6 m

6





SpeedTrack

No

item no.



min. water
depth



dimensions
l x w x h




user
capacity

31065

5'-9"
1,75 m

45'-11" x 7'-3" x
5'-7"
14 x 2,2 x 1,7 m

13



BalanceTrack

No



item no.

min. water
depth

dimensions
l x w x h

user
capacity

31066

5'-9"
1,75 m

45'-11" x 9'-10" x
5'-7"
14 x 3 x 1,7 m

14



Modular products

All modular products are equipped with connector straps, safety flaps & transport bags

The Wubit modular system enables products to be interconnected to form different shapes, sizes and styles of playgrounds on the water.

| |  |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|
| | item no. | min. water depth | dimensions l x w x h | includes | product weight | user capacity | max. load capacity |
|  | ActionTower XL 30000 | 6'-2" 1,9 m | 14'-9" x 12'-10" x 6'-7" 4,5 x 3,9 x 2 m | 4 x bungee | 109 kg | 4 | 300 kg |
|  | ActionTower XXL 30001 | 7'-10" 2,4 m | 29'-10" x 24'-11" x 9'-10" 9,1 x 7,6 x 3 m | 4 x bungee | 305 kg | 8 | 600 kg |
|  | BalanceBar L 30180 | 4'-1" 1,25 m | 19'-8" x 6'-7" x 2'-4" 6 x 2 x 0,7 m | - | 72 kg | 5 | 350 kg |
|  | BalanceBar S 30181 | 3'-11" 1,2 m | 9'-10" x 6'-7" x 1'-12" 3 x 2 x 0,6 m | - | 38 kg | 3 | 250 kg |
|  | BalanceBeam 30002 | 3'-11" 1,2 m | 19'-8" x 6'-7" x 12" 6 x 2 x 0,3 m | - | 43 kg | 4 | 300 kg |
|  | Base 30003 | 3'-11" 1,2 m | 9'-10" x 6'-7" x 12" 3 x 2 x 0,3 m | - | 36 kg | 4 | 300 kg |
|  | Base SUS 30131 | 3'-11" 1,2 m | 9'-10" x 9'-6" x 12" 3 x 2,9 x 0,3 m | - | 48 kg | 4 | 300 kg |
|  | Bend 30157 | 3'-11" 1,2 m | 18'-1" x 18'-1" x 12" 5,5 x 5,5 x 0,3 m | 1 x bungee | 50 kg | 3 | 200 kg |
|  | Bridge 30013 | 4'-11" 1,5 m | 9'-10" x 6'-7" x 3'-11" 3 x 2 x 1,2 m | - | 35 kg | 4 | 300 kg |
|  | Cliff 30014 | 5'-6" 1,65 m | 9'-10" x 6'-7" x 4'-11" 3 x 2 x 1,5 m | - | 52 kg | 4 | 300 kg |

No



item no.

min. water
depthdimensions
l x w x h

includes

product
weightuser
capacitymax. load
capacity**Curve**
300164'-11"
1,5 m18'-1" x 18'-1" x
3'-7"
5,5 x 5,5 x 1,1 m

1 x bungee

254 lbs
115 kg

6

880 lbs
400 kg**Deck 3**
301475'-7"
1,7 m8'-6" x 9'-10" x
5'-3"
2,6 x 3 x 1,6 m

1 x bungee

132 lbs
60 kg


4

660 lbs
300 kg**DipBars**
301565'-3"
1,6 m9'-10" x 6'-7" x
4'-3"
3 x 2 x 1,3 m

-

100 lbs
45 kg


2

330 lbs
150 kg**Dome**
300785'-11"
1,8 m19'-8" x 9'-10" x
4'-3"
6 x 3 x 1,3 m

1 x bungee

229 lbs
104 kg

2

440 lbs
200 kg**Flip**
300196'-7"
2 m19' x 6'-7" x
3'-7"
5,8 x 2 x 1,1 m

1 x bungee

165 lbs
75 kg

2

330 lbs
150 kg**GuardTower**
300746'-3"
1,9 m19'-8" x 9'-10" x
13'-1"
6 x 3 x 4 m

3 x bungee

392 lbs
178 kg

3

660 lbs
300 kg**Halfpipe***
301014'-11"
1,5 m9'-10" x 13'-1" x
3'-11"
3 x 4 x 1,2 m

2 x bungee

198 lbs
90 kg


6

880 lbs
400 kg**HighBars**
301886'-11"
2,1 m9'-10" x 10'-6" x
7'-10"
3 x 3,2 x 2,4 m

-

176 lbs
80 kg

3

440 lbs
200 kg**HighRoller**
300735'-7"
1,7 m29'-6" x 8'-10" x
5'-3"
9 x 2,7 x 1,6 m

2 x bungee

273 lbs
124 kg


4

660 lbs
300 kg**Hop**
301594'-7"
1,4 m9'-10" x 6'-7" x
3'-3"
3 x 2 x 1 m

-

66 lbs
30 kg

2

330 lbs
150 kg**Hurdle**
300793'-11"
1,2 m19'-8" x 8'-2" x
12"
6 x 2,5 x 0,3 m

-

70 lbs
32 kg

3

440 lbs
200 kg**Junction**
300253'-11"
1,2 m9'-10" x 9'-10" x
12"
3 x 3 x 0,3 m

1 x bungee

115 lbs
52 kg

4

660 lbs
300 kg

All modular products are equipped with connector straps, safety flaps & transport bags

No



item no.

min. water depth

dimensions l x w x h

includes

product weight

user capacity

max. load capacity

| | | | | | | | |
|---|-------------------------------|-----------------|--|------------|--------------------|----|--------------------|
|  | L-Connect* 30107 | 3'-11" 1,2 m | 18'-1" x 13'-1" x 12" 5,5 x 4 x 0,3 m | 1 x bungee | 159 lbs 72 kg | 6 | 880 lbs 400 kg |
|  | L-Connect SUS 30135 | 3'-11" 1,2 m | 18'-1" x 14'-5" x 12" 5,5 x 4,4 x 0,3 m | 1 x bungee | 179 lbs 81 kg | 6 | 880 lbs 400 kg |
|  | Ledge* 30130 | 7'-6" 2,3 m | 14'-9" x 12'-10" x 8'-10" 4,5 x 3,9 x 2,7 m | 2 x bungee | 265 lbs 120 kg | 4 | 660 lbs 300 kg |
|  | Logroll 30175 | 4'-3" 1,3 m | 19'-8" x 6'-7" x 2'-6" 6 x 2 x 0,75 m | - | 99 lbs 45 kg | 3 | 660 lbs 300 kg |
|  | MatchBall 30189 | 4'-1" 1,25 m | 19'-8" x 13'-1" x 10'-6" 6 x 4 x 3,2 m | - | 335 lbs 152 kg | 6 | 800 lbs 400 kg |
|  | MonkeyBars 30072 | 5'-7" 1,7 m | 19'-8" x 13'-1" x 6'-11" 6 x 4 x 2,1 m | 2 x bungee | 381 lbs 173 kg | 4 | 660 lbs 300 kg |
|  | Mountain 30168 | 9'-10" 3 m | 44'-11" x 29'-10" x 13'-2" 13,7 x 9,1 x 4 m | 8 x bungee | 1870 lbs 848 kg | 12 | 1984 lbs 900 kg |
|  | Peak 30129 | 7'-3" 2,2 m | 19'-8" x 10'-6" x 8'-6" 6 x 3,2 x 2,6 m | 2 x bungee | 280 lbs 127 kg | 4 | 660 lbs 300 kg |
|  | Plank 30129 | 4'-11" 1,5 m | 19'-8" x 6'-7" x 3'-11" 6 x 2 x 1,19 m | - | 181 lbs 82 kg | 3 | 660 lbs 300 kg |
|  | Quarterpipe 30100 | 5'-3" 1,6 m | 19'-8" x 8'-10" x 4'-7" 6 x 2,7 x 1,4 m | 2 x bungee | 267 lbs 121 kg | 6 | 880 lbs 400 kg |
|  | QuickJump 30178 | 4'-3" 1,3 m | 9'-10" x 6'-7" x 2'-3" 3 x 2 x 0,8 m | - | 97 lbs 44 kg | 3 | 550 lbs 250 kg |
|  | R-Connect* 30108 | 3'-11" 1,2 m | 18'-1" x 13'-1" x 12" 5,5 x 4 x 0,3 m | 1 x bungee | 159 lbs 72 kg | 6 | 880 lbs 400 kg |



item no.

min. water
depthdimensions
l x w x h


includes

product
weightuser
capacitymax. load
capacity**R-Connect
SUS**
301363'-11"
1,2 m18'-1" x 14'-5" x
12"
5,5 x 4,4 x 0,3 m

1 x bungee

179 lbs
81 kg

6

880 lbs
400 kg**Rock***
301237'-10"
2,4 m22'-4" x 19'-8" x
10'-2"
6,8 x 6 x 3,1 m

4 x bungee

608 lbs
276 kg

6

990 lbs
450 kg**Roller***
300368'-2"
2,5 m20' x 2'-7" x
2'-7"
6,1 x 0,8 x 0,8 m

-

51 lbs
23 kg

2

-

**Roundabout**
300874'-11"
1,5 m19'-8" x 19'-8" x
3'-11"
6 x 6 x 1,2 m

1 x bungee

348 lbs
158 kg


6

880 lbs
400 kg**SideKick**
300403'-11"
1,2 m8'-2" x 8'-2" x
12"
2,5 x 2,5 x 0,3 m

1 x bungee

51 lbs
23 kg

4

660 lbs
300 kg**Sidewalk**
301093'-11"
1,2 m29'-6" x 9'-10" x
12"
9 x 3 x 0,3 m

2 x bungee

229 lbs
104 kg

12

1990 lbs
900 kg**Slide**
300424'-11"
1,5 m9'-10" x 6'-7" x
3'-7"
3 x 2 x 1,1 m

-

93 lbs
42 kg

4

660 lbs
300 kg**Slope**
300445'-6"
1,65 m9'-10" x 6'-7" x
4'-11"
3 x 2 x 1,5 m

2 x bungee

106 lbs
48 kg

4

660 lbs
300 kg**Spin**
301584'-7"
1,4 m19'-8" x 13'-1" x
13'-1"
6 x 4 x 4 m

2 x bungee

302 lbs
137 kg

4

660 lbs
300 kg**Springboard**
301208'-2"
2,5 m19'-8" x 19'-8" x
10'-6"
6 x 6 x 3,2 m

3 x bungee

703 lbs
319 kg

8

1320 lbs
600 kg**Start Gate***
300713'-11"
1,2 m19'-8" x 9'-2" x
9'-6"
6 x 2,8 x 2,9 m

2 x bungee

262 lbs
119 kg

4

660 lbs
300 kg**StartGate SUS**
301323'-11"
1,2 m19'-8" x 10'-6" x
10'-2"
6 x 3,2 x 3,1 m

2 x bungee

269 lbs
122 kg

8

1764 lbs
800 kg

All modular products are equipped with connector straps, safety flaps & transport bags

No



item no.

min. water depth

dimensions l x w x h

includes

product weight

user capacity

max. load capacity

| | | | | | | | |
|--|--|-----------------|---|--------------------------|-------------------|---|--------------------|
| | Step 30104 | 3'-11" 1,2 m | 6'-7" x 6'-7" x 12" 2 x 2 x 0,3 m | - | 73 lbs 33 kg | 2 | 330 lbs 150 kg |
| | Step 6 30110 | 3'-11" 1,2 m | 20'-8" x 9'-10" x 12" 6,3 x 3 x 0,3 m | 2 x bungee | 183 lbs 83 kg | 6 | 1320 lbs 600 kg |
| | SUP Dock* 30082 | 3'-11" 1,2 m | 14'-9" x 13'-1" x 12" 4,5 x 4 x 0,3 m | 1 x bungee | 143 lbs 65 kg | 6 | 880 lbs 400 kg |
| | Sun Shade* 30083 | 3'-11" 1,2 m | 9'-10" x 11'-10" x 10'-2" 3 x 3,6 x 3,1 m | 1 x bungee | 168 lbs 76 kg | 4 | 660 lbs 300 kg |
| | Swing 30047 | 5'-11" 1,8 m | 19'-8" x 6'-7" x 10'-6" 6 x 2 x 3,2 m | - | 207 lbs 94 kg | 4 | 660 lbs 300 kg |
| | TakeOff 30142 | 3'-11" 1,2 m | 6'-7" x 4'-11" x 12" 2 x 1,5 x 0,3 m | - | 40 lbs 18 kg | 2 | 330 lbs 150 kg |
| | Target 30121 | 3'-11" 1,2 m | 19'-8" x 17'-9" x 12" 6 x 5,4 x 0,3 m | 1 x bungee | 152 lbs 69 kg | 4 | 660 lbs 300 kg |
| | TargetJump 30179 | 5'-9" 1,75 m | 9'-10" x 7'-3" x 5'-7" 3 x 2,2 x 1,7 m | - | 97 lbs 44 kg | 3 | 550 lbs 250 kg |
| | T-Connect 30075 | 3'-11" 1,2 m | 9'-10" x 8'-2" x 12" 3 x 2,5 x 0,3 m | 1 x bungee | 110 lbs 50 kg | 4 | 660 lbs 300 kg |
| | T-Connect SUS 30134 | 3'-11" 1,2 m | 9'-10" x 9'-10" x 12" 3 x 3 x 0,3 m | 1 x bungee | 110 lbs 50 kg | 4 | 660 lbs 300 kg |
| | Trampoline 2 30050 incl. hardware | 8'-2" 2,5 m | 19'-8" x 16'-5" x 2'-11" 6 x 5 x 0,9 m | 1 x bungee 1 x ladder | 452 lbs 205 kg | 3 | 660 lbs 300 kg |
| | Trampoline 4 30080 incl. hardware | 8'-2" 2,5 m | 19'-8" x 19'-8" x 2'-11" 6 x 6 x 0,9 m | 1 x bungee 1 x ladder | 514 lbs 233 kg | 3 | 660 lbs 300 kg |

| | No |  |  |  |  |  |  |
|---|--|---|---|--|---|---|---|
| | item no. | min. water depth | dimensions l x w x h | includes | product weight | user capacity | max. load capacity |
|  | Triplejump 30174 | 4'-7" 1,4 m | 9'-10" x 6'-7" x 3'-3" 3 x 2 x 1 m | - | 90 lbs 41 kg | 3 | 660 lbs 300 kg |
|  | Turn* 30122 | 3'-11" 1,2 m | 18'-1" x 18'-1" x 12" 5,5 x 5,5 x 0,3 m | 1 x bungee | 205 lbs 93 kg | 6 | 880 lbs 400 kg |
|  | Turn SUS 30137 | 3'-11" 1,2 m | 18'-1" x 18'-1" x 12" 5,5 x 5,5 x 0,3 m | 1 x bungee | 207 lbs 94 kg | 6 | 880 lbs 400 kg |
|  | Twist 30128 | 3'-11" 1,2 m | 19'-8" x 7'-7" x 2" 6 x 2,3 x 0,6 m | - | 126 lbs 57 kg | 4 | 660 lbs 300 kg |
|  | V-Connect 30105 | 3'-11" 1,2 m | 9'-10" x 6'-7" x 12" 3 x 2 x 0,3 m | - | 51 lbs 23 kg | 2 | 440 lbs 200 kg |
|  | WiggleBoard 30187 | 4,-1" 1,25 m | 9'-10" x 6'-7" x 2'-4" 3 x 2 x 0,7 m | - | 86 lbs 39 kg | 2 | 330 lbs 150 kg |
|  | WiggleBridge StartBlocks (2 pcs.) 30062 | 3'-11" 1,2 m | 6'-7" x 4'-11" x 12" 2 x 1,5 x 0,3 m per block | - | 37 lbs 17 kg per block | 2 per block | 330 lbs 150 kg per block |
|  | WiggleDiscs (3 pcs.) 30060 | 3'-11" 1,2 m | 3'-3" x 3'-3" x 4" 1 x 1 x 0,1 m per disc | 4 x Wiggle connector strap with carabiner | 13 lbs 6 kg per disc | 1 per disc | 220 lbs 100 kg per disc |
|  | Y-Connect 30076 | 3'-11" 1,2 m | 10'-2" x 10'-2" x 12" 3,1 x 3,1 x 0,3 m | 1 x bungee | 93 lbs 42 kg | 4 | 660 lbs 300 kg |
|  | ZigZag 30182 | 4'-3" 1,3 m | 19'-8" x 9'-10" x 2'-3" 6 x 3 x 0,8 m | - | 134 lbs 61 kg | 6 | 880 lbs 400 kg |










*Subject to availability



















· Sales according to our terms of trading

· Prices and specifications subject to change without notice

Standalone products

Standalone products cannot be connected to other products. They are usually positioned next to our SportsParks as an add-on. This increases the dimensions of the SportsPark area.

| | No |  |  |  |  |  |  |
|---|---|---|---|---|--|---|---|
| | item no. | min. water depth | dimensions l x w x h | includes | product weight | user capacity | max. load capacity |
|  | BeachCocoon* 30164 | - | 9'-10" x 9'-2" x 7'-5" 3 x 2,8 x 2,25 m | - | 60 lbs 27kg | - | - |
|  | BeachTent 30070 | - | 9'-2" x 6'-11" x 8'-2" 2,8 x 2,1 x 2,5 m | - | 66 lbs 30 kg | - | - |
|  | Billboard* 30004 | - | 15'-9" x 3'-11" x 3'-3" 4,8 x 1,2 x 1 m | - | 75 lbs 34 kg | - | - |
|  | Bouncer XXL 30008 incl. hardware | 8'-2" 2,5 m | 18'-4" x 18'-4" x 2'-11" 5,6 x 5,6 x 0,9 m | 1 x bungee 1 x electric pump 1 x ladder | 150 lbs 68 kg | 3 | 660 lbs 300 kg |
|  | DoubleRocker* 30018 | 4'-11" 1,5 m | 10'-2" x 7'-4" x 4' 3,1 x 2,25 x 1,2 m | 1 x bungee | 117 lbs 53 kg | 8 | 1320 lbs 600 kg |
|  | Guard Board* 30085 | - | 7'-3" x 3'-3" x 12" 2,2 x 1 x 0,3 m | 1 x paddle 1 x hand pump | 38 lbs 17 kg | 2 | 440 lbs 200 kg |
|  | IceTower XXL 30024 | 9'-11" 3 m | 19'-8" x 15'-1" x 13'-9" 6 x 4,6 x 4,2 m | 4 x bungee 1 x electric pump | 412 lbs 187 kg | 8 | 1320 lbs 600 kg |
|  | PoloGoal 30032 | - | 8'-6" x 3'-11" x 3'-7" 2,6 x 1,2 x 1,1 m | 1 x hand pump | 31 lbs 14 kg | - | - |

| |  No item no. |  min. water depth |  dimensions l x w x h |  includes |  product weight |  user capacity |  max. load capacity |
|---|--|---|---|--|--|--|---|
|  | Rock + Step* 30146 | 7'-10" 2,4 m | 19'-8" x 28'-10" x 10'-2" 6 x 8,8 x 3,1 m | 4 x bungee, 1x electric & 1x hand pump | 666 lbs 302 kg | 8 | 1320 lbs 600 kg |
|  | RodeoSplash 30103 | 5'-7" 1,7 m | 13'-1" x 14'-1" x 5'-3" 4 x 4,3 x 1,6 m | 1 x electric pump | 267 lbs 121 kg | 6 | 990 lbs 450 kg |
|  | SafetyBuoys (3 pcs.) 30039 | - | 14'-9" x 0'-10" x 0'-10" 4,5 x 0,25 x 0,25 m per buoy | - | 10 lbs 4,5 kg per buoy | - | - |
|  | Slider* 30043 | 8'-2" 2,5 m | 9'-10" x 3'-3" x 3'-3" 3 x 1 x 1 m | - | 42 lbs 19 kg | 2 | 330 lbs 150 kg |
|  | Spinner* 30045 | 6'-7" 2 m | 11'-10" x 11'-10" x 6'-7" 3,6 x 3,6 x 2 m | 1 x bungee 1 x hand pump | 132 lbs 60 kg | 4 | 880 lbs 400 kg |
|  | Splasher* 30046 | 4'-11" 1,5 m | 7'-7" x 8'-2" x 3'-11" 2,3 x 2,5 x 1,2 m | - | 66 lbs 30 kg | 1 | - |
|  | Target Cube* 30048 | - | 6'-7" x 6'-7" x 6'-7" 2 x 2 x 2 m | 4 x ball 1 x hand & ball pump | 86 lbs 39 kg | - | - |
|  | Volley 30055 | - | 37'-1" x 17'-5" x 5'-3" 11,3 x 5,3 x 1,6 m | 1 x electric pump | 99 lbs 45 kg | - | - |
|  | WibitBoat 30111 | - | 9'-10" x 4'-11" x 2' 3 x 1,5 x 0,6 m | 2 x oar 1 x hand pump | 95 lbs 43 kg | 3 | 880 lbs 400 kg |
|  | Wibit Hand* 30057 | 3'-11" 1,2 m | 11'-6" x 12'-2" x 0'-4" 3,5 x 3,7 x 0,1 m | 1 x hand pump | 71 lbs 32 kg | 4 | 660 lbs 300 kg |
|  | Wiggle Bridge Start Blocks NM** (2 pcs.) 30061 | 3'-11" 1,2 m | 6'-7" x 4'-11" x 0'-4" 2 x 1,5 x 0,1 m per block | - | 82 lbs 37 kg per block | 2 per block | 220 lbs 110 kg |

*Subject to availability **Non modular
 · Sales according to our terms of trading
 · Prices and specifications subject to change without notice



For kids
aged 4+

KidsCourse

No

item no.



min. water
depth



dimensions
l x w x h



user
capacity



includes


31048

4'-5"
1,35 m

52'-6" x 31'-2" x
12'-2"
16 x 9,5 x 3,7 m

36

KidsScale





KidsTrack

No

item no.



min. water
depth



dimensions
l x w x h



user
capacity



includes


31047

4'-5"
1,35 m

60'-8" x 14'-9" x
3'-3"
18,5 x 4,5 x 1 m

18

KidsScale



KidsRun

No

item no.



min. water
depth



dimensions
l x w x h



user
capacity



includes


31046

4'-5"
1,35 m

27'-11" x 9'-10" x
3'-3"
8,5 x 3 x 1 m

















7

KidsScale



Kids products

Wibit Kids products are half the width of standard Wibit products. Kids products can be connected to a normal Wibit SportsPark using the Connector product.

| |  |  |  |  |  |  |  |
|---|---|---|---|---|--|---|---|
| | item no. | min. water depth | dimensions l x w x h | includes | product weight | user capacity | max.load capacity |
|  | Balance 33009 | 3'-11" 1,2 m | 12'-6" x 3'-11" x 8" 3,8 x 1,2 x 0,2 m | - | 42 lbs 19 kg | 2 | 220 lbs 100 kg |
|  | Bench 33007 | 4'-5" 1,35 m | 12'-6" x 5'-11" x 2'-7" 3,8 x 1,8 x 0,8 m | - | 88 lbs 40 kg | 3 | 440 lbs 200 kg |
|  | Base kids 33012 | 3'-11" 1,2 m | 6'-7" x 3'-3" x 8" 2 x 1 x 0,2 m | - | 31 lbs 14 kg | 2 | 220 lbs 100 kg |
|  | Base SUS kids 33013 | 3'-11" 1,2 m | 6'-7" x 5'-7" x 8" 2 x 1,7 x 0,2 m | - | 46 lbs 21 kg | 2 | 220 lbs 100 kg |
|  | Center 33003 | 3'-11" 1,2 m | 10'-6" x 10'-2" x 12'-2" 3,2 x 3,1 x 3,7 m | - | 139 lbs 63 kg | 2 | 220 lbs 100 kg |
|  | Cone 33010 | 3'-11" 1,2 m | 12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m | - | 121 lbs 55 kg | 3 | 330 lbs 150 kg |
|  | Connector 33014 | 3'-11" 1,2 m | 9'-10" x 6'-7" x 12" 3 x 2 x 0,3 m | - | 62 lbs 28 kg | 3 | 330 lbs 150 kg |
|  | CrossOver 33001 | 4'-5" 1,35 m | 12'-6" x 3'-7" x 2'-7" 3,8 x 1,1 x 0,8 m | - | 71 lbs 32 kg | 3 | 330 lbs 150 kg |
|  | Downhill 33005 | 4'-5" 1,35 m | 12'-6" x 9'-6" x 3'-3" 3,8 x 2,9 x 1 m | - | 137 lbs 62 kg | 3 | 330 lbs 150 kg |

All kids products are equipped with connector straps, safety flaps kids & transport bags

| | No |  |  |  |  |  |  |
|---|------------------------------------|---|---|---|--|---|---|
| | item no. | min. water depth | dimensions l x w x h | includes | product weight | user capacity | max.load capacity |
|  | Slip 33004 | 4'-5" 1,35 m | 12'-6" x 8'-10" x 3'-3" 3,8 x 2,7 x 1 m | - | 137 lbs 62 kg | 4 | 440 lbs 200 kg |
|  | Spiral 33002 | 4'-5" 1,35 m | 12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m | - | 115 lbs 52 kg | 3 | 330 lbs 150 kg |
|  | Step kids 33015 | 3'-11" 1,2 m | 3'-3" x 2'-4" x 8" 1 x 0,7 x 0,2 m | - | 13 lbs 6 kg | 1 | 110 lbs 50 kg |
|  | TakeOff kids 33011 | 3'-11" 1,2 m | 3'-3" x 2' x 8" 1 x 0,6 x 0,2 m | - | 13 lbs 6 kg | 1 | 110 lbs 50 kg |
|  | T-Connect SUS kids 33017 | 3'-11" 1,2 m | 6'-7" x 5'-3" x 8" 2 x 1,6 x 0,2 m | - | 35 lbs 16 kg | 2 | 220 lbs 100 kg |
|  | Y-Connect SUS kids 33016 | 3'-11" 1,2 m | 9'-2" x 5'-11" x 8" 2,8 x 1,8 x 0,2 m | - | 55 lbs 25 kg | 3 | 330 lbs 150 kg |

- Sales according to our terms of trading
- Prices and specifications subject to change without notice





Let's talk!

+49 (0) 2871 23820-0 | contact@wibitsports.com
Wibit Sports GmbH | Am Gut Baarking 15 | 46395 Bocholt, Germany



www.wibitsports.com